

CLAIMS:

1-24. (cancelled)

25. (currently amended) A mobile communication terminal that receives communications services from a mobile wireless network, comprising:

 a communication control that selectively implements multiple communication functionalities comprising a voice communication functionality, an electronic message communication functionality and a network browsing functionality for browsing a second network located outside the mobile wireless network, wherein while implementing the multiple communication functionalities, at least one standby state is realizable in which no user action is prompted;

 a viewer that activates the network browsing functionality to selectively access ~~data sources~~information provider servers located through in the second network and displays ~~receive~~ one or more blocks of screen data ~~received from the accessed data sources~~information provider servers for preview of the received one or more blocks of screen data by a user of the mobile communication terminal;

 a registration control that upon a selection by the user of one block of screen data through the preview of the received one or more blocks of screen data, stores ~~a the~~ selected one block ~~of the one or more blocks of received~~ screen data in one of multiple memory areas each correlatable to any one of the at least one standby state;

 a correlation control ~~that~~ responsive to an instruction from the user to dynamically correlates the one of the multiple memory areas to ~~a selected one of the at least one standby state~~ selected by the user; and

 a display control that, when the terminal is in the selected one of the at least one standby state, displays the selected one of the one or more blocks of screen data.

26-27. (cancelled)

28. (cancelled) ~~A mobile communication terminal according to claim 25, wherein the data source is located outside the network and connected to the network over at least one public data communication network.~~

29. (cancelled) ~~A mobile communication terminal according to claim 25, wherein the data source is another communication terminal.~~

30. (cancelled) ~~A mobile communication terminal according to claim 25, wherein the data source is a server that provides information.~~

31-32. (cancelled)

33. (previously presented) A mobile communication terminal according to claim 25, wherein the registration control determines, based on one or more attributes attached to the selected one of the one or more of the received screen data, whether the selected block of the received screen data is storable.

34. (original) A mobile communication terminal according to claim 33, wherein one of the attributes is a size of the selected block of the received screen data.

35. (original) A mobile communication terminal according to claim 33, wherein one of the attributes is copyright protection.

36. (original) A mobile communication terminal according to claim 33, wherein one of the attributes is identification of a network through which the screen data was received.

37. (original) A mobile communication terminal according to claim 33, wherein one of the attributes is an encryption method with which the screen data is encrypted.

38. (original) A mobile communication terminal according to claim 33, wherein one of the attributes is a communication protocol adopted in the network.

39. (previously presented) A mobile communication terminal according to claim 25, wherein different screen data is selectively displayed in a standby state.

40. (previously presented) A mobile communication terminal according to claim 39, wherein different screen data is randomly displayed in a standby state.

41. (previously presented) A mobile communication terminal according to claim 39, wherein different screen data is displayed in a standby state in a periodic rotation.

42. (previously presented) A mobile communication terminal according to claim 25, wherein one of the at least one standby state is a standby state in which the terminal is waiting for a call to come in or for the user to key in.

43. (previously presented) A mobile communication terminal according to claim 25, wherein one of the at least one standby state is a state of downloading data from the data source.

44. (previously presented) A mobile communication terminal according to claim 25, wherein the display control keeps displaying screen data until an occurrence of an event triggers a shift from the standby state.

45. (previously presented) A mobile communication terminal according to claim 25, the selected one of the one or more of the screen data is processed for display.

46. (previously presented) A mobile communication terminal according to claim 45, wherein the size of the image represented by the selected one of the one or more of the screen data is adjusted.

47. (previously presented) A mobile communication terminal according to claim 45, wherein the image represented by the selected one of the one or more of the screen data is repeated.

48. (previously presented) A mobile communication terminal according to claim 45, wherein the image represented by the selected one of the one or more of the screen data is placed at a designated location on a display of the terminal.

49-82. (cancelled)

83. (previously presented) A mobile communication terminal according to claim 25, wherein one of the at least one standby state is a state of receiving an e-mail.

84. (new) A mobile communication terminal according to claim 25, wherein the second network is an Internet.

85. (new) A mobile communication terminal according to claim 84, wherein the one or more blocks of screen data are received from a web page on the Internet.